



SAFETY DATA SHEET

AMSOIL Synthetic Dirt Bike Transmission Fluid SAE 80

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200 and WHMIS 2015, in compliance with the Hazardous Product Act (HPA, as amended) and the requirements of the Hazardous Product Regulations (HPR).

4 Identification	
1. Identification	
Product identifier	
Product name	AMSOIL Synthetic Dirt Bike Transmission Fluid SAE 80
Product number	DBTF
Recommended use of the che	emical and restrictions on use
Application	Transmission fluid.
Uses advised against	Avoid the formation of mists.
Details of the supplier of the s	afety data sheet
Supplier	AMSOIL INC. Bordner, Ladner, Gervais Scotia Plaza, 40 King St W Toronto, ON, Canada M5H 3Y4 T: +1 416-367-6547
Manufacturer	AMSOIL INC. One AMSOIL Center, Superior, WI 54880, USA. T: +1 715-392-7101 compliance@amsoil.com
Emergency telephone numbe	<u>r</u>
Emergency telephone	CHEMTREC: Within USA and Canada: 1-800-424-9300 Outside the USA and Canada: +1 703-741-5970 (collect calls accepted) 24/7
2. Hazard(s) identification	
Classification of the substance	e or mixture
OSHA/WHMIS Regulatory Status	This Product is not Hazardous under the OSHA Hazard Communication Standard and according to the hazard criteria of the Hazardous Product Regulations.
Physical hazards	Not Classified
Health hazards	Not Classified
Environmental hazards	Not Classified
Label elements	
Hazard statements	NC Not Classified
Other hazards	
This product does not contain	any substances classified as PBT or vPvB.
3. Composition/information or	ningredients

Mixtures

Hydrogenated base oil CAS number: 64742-54-7	2.5 - <5%
Classification Asp. Tox. 1 - H304	
The full text for all hazard state	ements is displayed in Section 16.
Composition comments	The exact percentage is withheld as a trade secret in accordance with 29 CFR 1910.1200.
4. First-aid measures	
Description of first aid measure	95
General information	Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.
Ingestion	Rinse mouth thoroughly with water. Remove any dentures. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.
Skin Contact	Remove affected person from source of contamination. Rinse immediately with plenty of water.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.
Most important symptoms and	effects, both acute and delayed
General information	See Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Prolonged inhalation of high concentrations may damage respiratory system.
Ingestion	Gastrointestinal symptoms, including upset stomach. Fumes from the stomach contents may be inhaled, resulting in the same symptoms as inhalation.
Skin contact	Prolonged contact may cause dryness of the skin.
Eye contact	May cause temporary eye irritation.
Indication of immediate medic	al attention and special treatment needed
Notes for the doctor	Treat symptomatically.
Specific treatments	No special treatment required.
5. Fire-fighting measures	
Extinguishing media	
Suitable extinguishing media	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Special hazards arising from the	ne substance or mixture

Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up. Contains Hydrocarbons. The product is immiscible with water and will spread on the water surface.
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapors.
Advice for firefighters	
Protective actions during firefighting	Avoid breathing fire gases or vapors. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapors and protect men stopping the leak.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Standard Firefighter's clothing including helmets, protective boots and gloves, that provides a basic level of protection during chemical incidents is defined by the Canada Occupational Health and Safety Regulations, by provincial guidelines on occupational health and safety or by NFPA standards if applicable.
6. Accidental release measure	IS
Personal precautions, protectiv	ve equipment and emergency procedures
Personal precautions	No action shall be taken without appropriate training or involving any personal risk. Keep unnecessary and unprotected personnel away from the spillage. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with a spillage. Use protective equipment appropriate for surrounding materials.
Environmental precautions	
Environmental precautions	Avoid discharge to the aquatic environment.
Methods and material for conta	ainment and cleaning up
Methods for cleaning up	Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Reuse or recycle products wherever possible. Absorb the spillage with an inert, dry material and place it in a suitable waste disposal container. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dispose of contents/container in accordance with national regulations.
Reference to other sections	For personal protection, see Section 8. For waste disposal, see Section 13.
7. Handling and storage	
Precautions for safe handling	
Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimize spills. Keep container tightly sealed when not in use. Avoid the formation of mists. Avoid contact with used product. Do not reuse empty containers.
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.
Conditions for safe storage, in	cluding any incompatibilities
01	

Storage precautions

cool, well ventilated place. Protect containers from damage.

Order by Phone 1-800-956-5695 - Give Operator Reference #1948371

Store away from incompatible materials (see Section 10). Keep container tightly closed, in a

AMSOIL Synthetic Dirt Bike Transmission Fluid SAE 80

Storage class	Chemical storage.
Specific end uses(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.
8. Exposure Controls/personal	protection
Control parameters	
Occupational exposure limits	
Comments	The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.
Under conditions which may ge Long-term exposure limit (8-ho Short-term exposure limit (15-r	
Exposure controls	
Appropriate engineering controls	Provide adequate ventilation. Good general ventilation should be adequate to control worker exposure to airborne contaminants.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with OSHA 1910.133 and/or the Canadian regulation on health and safety at work, SOR/86-304, Part XII (12.6), and any relevant provincial regulation relating to health and safety at work. The following protection should be worn: Chemical splash goggles.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with OSHA 1910.138 and/or the Canadian regulation on health and safety at work, SOR/86-304, Part XII (12.9), and be demonstrated to be impervious to the chemical and resist degradation. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.
Other skin and body protection	Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.
Hygiene measures	Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke.
Respiratory protection	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Provide adequate ventilation. Large Spillages: If ventilation is inadequate, suitable respiratory protection must be worn.
Environmental exposure controls	Not regarded as dangerous for the environment.
9. Physical and Chemical Prop	erties

Information on basic physical and chemical properties

Appearance	Liquid.
Color	Amber.

OderMid hydrocarbon.Odor thresholdNot available.pHNot available.Miding pointNot available.Initiabing point and rangeNot available.Evaporation randNot available.Upper/lower fammability ogNot available.Upper/lower fammability ogNot available.Vapor gressureNot available.Vapor districtNot available.Partition coefficientNot available.Aucignition temperatureNot available.Not available.Not available.Vapor districtNot available.Vapor district <th></th> <th></th>		
pHNot available.Metting pointNot available.Initial boiling point and rareNot available.Flash point248°C Cleveland open cup. [ASTM D 92]Evaporation rateNot available.Upper Mower flammability or explosive limitsNot available.Vapor gesureNot available.Vapor densityNot available.Solubility(fes)Not available.Solubility(fes)Not available.Aut-orginition temperatureNot available.Not available.Not available.Coupor densityNot available.Not available.Not available.Solubility(fes)Not available.Aut-orginition temperatureNot available.Not available.Not available.Vacosity66 5 cl S @ 40°C cl STM D 445]Explosive propertiesNot considered to be explosive.Oxidizing propertiesNot considered to be explosive.For point266°C Cleveland open cup. [ASTM D 92]Por point266°C Cleveland open cup. [ASTM D 92]Por point264°C Cleveland open cup. [ASTM D 92]Por pointStable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.Stability of hazardousNo potentially hazardous reactions known.PraceitorsStable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.Proscibility of hazardousNo potentially hazardous reactions known.Reactions to avoidNot poentially hazardous reactions known.	Odor	Mild hydrocarbon.
Procession Not available Melting point Not available. Initial boiling point and range Not available. Flash point 248°C Cleveland open cup. [ASTM D 92] Evaporation rate Not available. Upper/lower flammability or explosive limits Not available. Vapor pressure Not available. Vapor density Not available. Vapor density Not available. Solubility(ies) Not available. Partition coefficient Not available. Auto-ignition temperature Not available. Not available. Not available. Viscosity 66.5 cst (q.0°C (ASTM D 445) Explosive properties Not considered to be explosive. Oxdizing properties Does not meet the criteria for classification as oxidizing. Fire point 266°C Cleveland open cup. [ASTM D 92] Pour point -44°C (ASTM D 97) 10. Stability and reactivity Sable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions. Possibility of hazardous No potentially hazardous reactions known. reactions No sp	Odor threshold	Not available.
Initial bolling point and rangeNot available.Flash point248°C Cleveland open cup. [ASTM D 92]Evaporation rateNot available.Upper/lower flammability or exploaive limitsNot available.Vapor pressureNot available.Vapor densityNot available.Relative density0.8586Solubility(les)Not novn.Partition coefficientNot available.Auto-ignition temperatureNot available.Not available.Not available.Auto-ignition temperatureNot available.Not available.Not available.Partition coefficientNot available.Auto-ignition temperatureNot available.Not available.Not available.Poscopy optionsNot available.Poscopy optionsNot available.Poscopy optionsNot available.Poscopy optionsNot available.Poscopy optionsNot available.Poscopy optionsNot considered to be explosive.Oxidizing propertiesNot considered to be explosive.Oxidizing propertiesNot considered to be explosive.Poscopy optiont266°C Cleveland open cup. [ASTM D 92]Pour point266°C Cleveland open cup. [ASTM D 92]Pour point240°C Cleveland open cup. [ASTM D 92]Poscopy optionsSee the other subsections of this section for further details.Stability of hazardous reactionsSuble at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.Poscibility of hazar	рН	Not available.
Flash point 248°C Cleveland open cup. [ASTM D 92] Evaporation rete Not available. Upper/lower flarmability or explosive limits Not available. Vapor pressure Not available. Vapor density Not available. Relative density 0.8586 Solubility(ies) Not known. Partition coefficient Not available. Auto-ignition temperature Not available. Viscosity 66 5.61:@ 40°C (ASTM D 445) Explosive properties Not considered to be explosive. Oxidizing properties See the other subsections of this section for further details. Stability and reactivity See the other subsections of this section for further details. Stability of hazardous No potentially hazardous reactions known. reactions No potentially hazardous reactions known. reactions to avoid There are no known conditions that are likely to result in a hazardous situation. <t< td=""><td>Melting point</td><td>Not available.</td></t<>	Melting point	Not available.
Evaporation rateNot available.Upper/lower flammability or explosive limitsNot available.Vapor pressureNot available.Vapor densityNot available.Relative density0.8586Solubility(ies)Not available.Partition coefficientNot available.Auto-ignition temperatureNot available.Decomposition TemperatureNot available.Viscosity66.5 cst @ 40°C (ASTM D 445)Explosive propertiesNot considered to be explosive.Oxidizing propertiesNot considered to per cup. [ASTM D 92]Pour point-44°C (ASTM D 97]10. Stability and reactivitySee the other subsections of this section for further details.Stability of hazardousNo potentially hazardous reactions known. reactionsPossibility of hazardousNo potentially hazardous reactions known. reactionsReactivityNo specific material or group of materials is likely to react wit	Initial boiling point and range	Not available.
Upper/lower flammability or explosive limitsNot available.Vapor pressureNot available.Vapor densityNot available.Relative density0.8586Solubility(les)Not known.Partition coefficientNot available.Auto-Ignition temperatureNot available.Noto-Solubility (les)Not available.Prescription temperatureNot available.ViscosityRef. S CSt @ 40°C 10.3 CSt @ 10°C (ASTM D 445]Explosive propertiesNot considered to be explosive.Oxidizing propertiesNot considered to be explosive.Oxidizing propertiesNot considered to be explosive.Our point266°C Cleveland open cup. [ASTM D 92]Pour point266°C Cleveland open cup. [ASTM D 92]Pour pointSee the other subsections of this section for further details.Stability and reactivitySee the other subsections of this section for further details.Stability of hazardous reactionsNo potentially hazardous reactions known.Possibility of hazardous reactionsNo potentially hazardous reactions known.ReactivitsNo specific material or group of materials is likely to react with the product to produce a hazardous situation.Hazardous decompositionDoes not decompose when used ant screommended. Thermal decomposition or	Flash point	248°C Cleveland open cup. [ASTM D 92]
explosive limits Not available. Vapor pressure Not available. Vapor density Not available. Relative density 0.8586 Solubility(les) Not known. Partition coefficient Not available. Auto-ignition temperature Not available. Auto-ignition temperature Not available. Decomposition Temperature Not available. Viscosity 66.5 cSt @ 40°C 10.3 cSt @ 10°C (ASTM D 445) Explosive properties Not considered to be explosive. Oxidizing properties Not considered to be explosive. Oxidizing properties Does not meet the criteria for classification as oxidizing. Fire point 266°C Cleveland open cup. [ASTM D 92] Pour point -44°C [ASTM D 97] 10. Stability and reactivity See the other subsections of this section for further details. Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions. Possibility of hazardous No potentially hazardous reactions known. reactions No specific material or group of materials is likely to react with the product to produce a hazardous situation. Materials to	Evaporation rate	Not available.
Vapor densityNot available.Relative density0.8566Solubility(ies)Not known.Partition coefficientNot available.Auto-Ignition temperatureNot available.Decomposition TemperatureNot available.Viscosity66.5 CSt @ 40°C (ASTM D 445]Explosive propertiesNot considered to be explosive.Oxidizing propertiesDoes not meet the criteria for classification as oxidizing.Fire point266°C Cleveland open cup. [ASTM D 92]Pour point-44°C [ASTM D 97]10. Stability and reactivitySee the other subsections of this section for further details.Stability of hazardous reactionsNo potentially hazardous reactions known.Possibility of hazardous reactionsNo potentially hazardous reactions known.Autorials to avoidThere are no known conditions that are likely to result in a hazardous situation.Hazardous decompositionDoes not decompose when used and stored as recommended. Thermal decomposition or		Not available.
Relative density0.8586Solubility(ies)Not known.Partition coefficientNot available.Auto-ignition temperatureNot available.Decomposition TemperatureNot available.Uiscosity66.5 cSt @ 40°C 10.3 cSt @ 100°C [ASTM D 445]Explosive propertiesNot considered to be explosive.Oxidizing propertiesNot considered to be explosive.Oxidizing propertiesDoes not meet the criteria for classification as oxidizing.Fire point266°C Cleveland open cup. [ASTM D 92]Pour point-44°C [ASTM D 97]10. Stability and reactivitySee the other subsections of this section for further details.StabilityStable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.Possibility of hazardous reactionsNo potentially hazardous reactions known.ReactivitySo potentially hazardous reactions known.ReactivityDo potentially hazardous reactions known.ReactivityDo potentially hazardous reactions known.ReactivityDo potentially hazardous reactions known.ReactivityDo potentially hazardous reactions known.ReactivityNo potentially hazardous reactions known.ReactivityDo potentially hazardous reactions known.ReactivityDo potentially hazardous reactions known.ReactionsDo potentially hazardous reactions known.ReactivityDo potentially hazardous reactions known.ReactivityDo potentially hazardous reactions known.ReactivityDo	Vapor pressure	Not available.
Solubility(ies)Not known.Partition coefficientNot available.Auto-ignition temperatureNot available.Decomposition TemperatureNot available.Decomposition TemperatureNot available.Uiscosity $66.5 \text{ CSt} @ 40^{\circ}\text{C}$ $10.3 \text{ CSt} @ 100^{\circ}\text{C}$ [ASTM D 445]Explosive propertiesNot considered to be explosive.Oxidizing propertiesNot considered to be explosive.Oxidizing propertiesNot considered to be explosive.Outigizing propertiesSee the citeria for classification as oxidizing.Fire point 266° C Cleveland open cup. [ASTM D 92]Pour point-44°C [ASTM D 97]10. Stability and reactivitySee the other subsections of this section for further details.Stability of hazardous reactionsNo potentially hazardous reactions known.Possibility of hazardous reactionsNo potentially hazardous reactions known.Reactivitions to avoidThere are no known conditions that are likely to result in a hazardous situation.Hazardous decompositionDoes not decompose when used and stored as recommended. Thermal decomposition or	Vapor density	Not available.
Partition coefficientNot available.Auto-ignition temperatureNot available.Decomposition TemperatureNot available.Uiscosity66.5 c.St @ 40°C 10.3 cSt @ 100°C [ASTM D 445]Explosive propertiesNot considered to be explosive.Oxidizing propertiesDoes not meet the criteria for classification as oxidizing.Fire point266°C Cleveland open cup. [ASTM D 92]Pour point-44°C [ASTM D 97]10. Stability and reactivitySee the other subsections of this section for further details.StabilityStable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.Possibility of hazardous reactionsNo potentially hazardous reactions known.Conditions to avoidThere are no known conditions that are likely to result in a hazardous situation.Materials to avoidDoes not decompose when used and stored as recommended. Thermal decomposition or	Relative density	0.8586
Auto-ignition temperatureNot available.Decomposition TemperatureNot available.Viscosity $6.5 CSt @ 40^\circ C$ $10.3 CSt @ 100^\circ C$ [ASTM D 445]Explosive propertiesNot considered to be explosive.Oxidizing propertiesDoes not meet the criteria for classification as oxidizing.Fire point $266^\circ C$ Cleveland open cup. [ASTM D 92]Pour point $-44^\circ C$ [ASTM D 97]10. Stability and reactivitySee the other subsections of this section for further details.Stability of hazardous reactionsStable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.Possibility of hazardous reactionsNo potentially hazardous reactions known.Auto-ignitions to avoidThere are no known conditions that are likely to result in a hazardous situation.Hazardous decompositionDoes not decompose when used and stored as recommended. Thermal decomposition or	Solubility(ies)	Not known.
Decomposition Temperature Not available. Viscosity 66.5 cSt @ 40°C [ASTIM D 445] Explosive properties Not considered to be explosive. Oxidizing properties Does not meet the criteria for classification as oxidizing. Fire point 266°C Cleveland open cup. [ASTIM D 92] Pour point -44°C [ASTM D 97] 10. Stability and reactivity See the other subsections of this section for further details. Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions. No potentially hazardous reactions known. Possibility of hazardous reactions No potentially hazardous reactions known. Conditions to avoid There are no known conditions that are likely to result in a hazardous situation. Materials to avoid No specific material or group of materials is likely to react with the product to produce a hazardous situation. Hazardous decomposition Does not decompose when used and stored as recommended. Thermal decomposition or	Partition coefficient	Not available.
Viscosity66.5 cSt @ 40°C 10.3 cSt @ 100°C [ASTM D 445]Explosive propertiesNot considered to be explosive.Oxidizing propertiesDoes not meet the criteria for classification as oxidizing.Fire point266°C Cleveland open cup. [ASTM D 92]Pour point-44°C [ASTM D 97]10. Stability and reactivitySee the other subsections of this section for further details.StabilityStable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.Possibility of hazardous reactionsNo potentially hazardous reactions known.Conditions to avoidThere are no known conditions that are likely to result in a hazardous situation.Materials to avoidDoes not decompose when used and stored as recommended. Thermal decomposition or	Auto-ignition temperature	Not available.
10.3 cSt @ 100°C [ASTM D 445]Explosive propertiesNot considered to be explosive.Oxidizing propertiesDoes not meet the criteria for classification as oxidizing.Fire point266°C Cleveland open cup. [ASTM D 92]Pour point-44°C [ASTM D 97]10. Stability and reactivitySee the other subsections of this section for further details.StabilityStable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.Possibility of hazardous reactionsNo potentially hazardous reactions known.Conditions to avoidThere are no known conditions that are likely to result in a hazardous situation.Materials to avoidDoes not decompose when used and stored as recommended. Thermal decomposition or	Decomposition Temperature	Not available.
Oxidizing propertiesDoes not meet the criteria for classification as oxidizing.Fire point266°C Cleveland open cup. [ASTM D 92]Pour point-44°C [ASTM D 97]10. Stability and reactivitySee the other subsections of this section for further details.StabilityStable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.Possibility of hazardous reactionsNo potentially hazardous reactions known.Conditions to avoidThere are no known conditions that are likely to result in a hazardous situation.Materials to avoidDoes not decompose when used and stored as recommended. Thermal decomposition or	Viscosity	10.3 cSt @ 100°C
Fire point 266°C Cleveland open cup. [ASTM D 92] Pour point -44°C [ASTM D 97] 10. Stability and reactivity See the other subsections of this section for further details. Stability See the other subsections of this section for further details. Stability Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions. Possibility of hazardous reactions No potentially hazardous reactions known. Conditions to avoid There are no known conditions that are likely to result in a hazardous situation. Materials to avoid No specific material or group of materials is likely to react with the product to produce a hazardous situation. Hazardous decomposition Does not decompose when used and stored as recommended. Thermal decomposition or	Explosive properties	Not considered to be explosive.
Pour point-44°C [ASTM D 97]10. Stability and reactivitySee the other subsections of this section for further details.ReactivitySee the other subsections of this section for further details.StabilityStable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.Possibility of hazardous reactionsNo potentially hazardous reactions known.conditions to avoidThere are no known conditions that are likely to result in a hazardous situation.Materials to avoidNo specific material or group of materials is likely to react with the product to produce a hazardous situation.Hazardous decompositionDoes not decompose when used and stored as recommended. Thermal decomposition or	Oxidizing properties	Does not meet the criteria for classification as oxidizing.
10. Stability and reactivity Reactivity See the other subsections of this section for further details. Stability Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions. Possibility of hazardous reactions No potentially hazardous reactions known. Conditions to avoid There are no known conditions that are likely to result in a hazardous situation. Materials to avoid No specific material or group of materials is likely to react with the product to produce a hazardous situation. Hazardous decomposition Does not decompose when used and stored as recommended. Thermal decomposition or	Fire point	266°C Cleveland open cup. [ASTM D 92]
ReactivitySee the other subsections of this section for further details.StabilityStable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.Possibility of hazardous reactionsNo potentially hazardous reactions known.Conditions to avoidThere are no known conditions that are likely to result in a hazardous situation.Materials to avoidNo specific material or group of materials is likely to react with the product to produce a hazardous situation.Hazardous decompositionDoes not decompose when used and stored as recommended. Thermal decomposition or	Pour point	-44°C [ASTM D 97]
StabilityStable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.Possibility of hazardous reactionsNo potentially hazardous reactions known.Conditions to avoidThere are no known conditions that are likely to result in a hazardous situation.Materials to avoidNo specific material or group of materials is likely to react with the product to produce a hazardous situation.Hazardous decompositionDoes not decompose when used and stored as recommended. Thermal decomposition or	10. Stability and reactivity	
Possibility of hazardous reactionsNo potentially hazardous reactions known.Conditions to avoidThere are no known conditions that are likely to result in a hazardous situation.Materials to avoidNo specific material or group of materials is likely to react with the product to produce a hazardous situation.Hazardous decompositionDoes not decompose when used and stored as recommended. Thermal decomposition or	Reactivity	See the other subsections of this section for further details.
reactionsConditions to avoidThere are no known conditions that are likely to result in a hazardous situation.Materials to avoidNo specific material or group of materials is likely to react with the product to produce a hazardous situation.Hazardous decompositionDoes not decompose when used and stored as recommended. Thermal decomposition or	Stability	
Materials to avoidNo specific material or group of materials is likely to react with the product to produce a hazardous situation.Hazardous decompositionDoes not decompose when used and stored as recommended. Thermal decomposition or		No potentially hazardous reactions known.
Hazardous decompositionDoes not decompose when used and stored as recommended. Thermal decomposition or	Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
	Materials to avoid	

Information on toxicological effects

Toxicological effects	Not regarded as a health hazard under current legislation.
Acute toxicity - oral	
Notes (oral LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - dermal	
Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation	
Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met.
Skin corrosion/irritation	
Animal data	Based on available data the classification criteria are not met.
Serious eye damage/irritation	
Serious eye damage/irritation	Based on available data the classification criteria are not met.
Respiratory sensitization	
Respiratory sensitization	Based on available data the classification criteria are not met.
Skin sensitization	
Skin sensitization	Based on available data the classification criteria are not met.
Corm coll mutagonicity	
Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.
-	
Carcinogenicity Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	None of the ingredients are listed or exempt.
Reproductive toxicity	
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity -	Based on available data the classification criteria are not met.
development	
Specific target organ toxicity -	
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxicity -	
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
Aspiration hazard	
Aspiration hazard	Based on available data the classification criteria are not met.
General information	No specific health hazards known. The severity of the symptoms described will vary
	dependent on the concentration and the length of exposure.
Inhalation	Prolonged inhalation of high concentrations may damage respiratory system.
Ingestion	Gastrointestinal symptoms, including upset stomach. Fumes from the stomach contents may be inhaled, resulting in the same symptoms as inhalation.
Skin Contact	Prolonged contact may cause dryness of the skin.
Eye contact	May cause temporary eye irritation.
Route of exposure	Ingestion Inhalation Skin and/or eye contact
TOULE OF EXPOSULE	ingestion initialation only and/or eye contact

Target Organs	No specific target organs known.
raiget Organs	No specific larger organs known.

Medical considerations Skin

Skin disorders and allergies.

Toxicological information on ingredients.

Hydrogenated base oil

Acute toxicity - oral	
Notes (oral LD ₅₀)	LD₅₀ >5000 mg/kg, Oral, Rat REACH dossier information.
Acute toxicity - dermal	
Notes (dermal LD ₅₀)	LD₅₀ >5000 mg/kg, Dermal, Rabbit REACH dossier information.
Acute toxicity - inhalation	
Notes (inhalation LC ₅₀)	LC₅₀ >5.53 mg/l, Inhalation, Rat REACH dossier information.
Skin corrosion/irritation	
Animal data	Dose: 0.5ml, 24 hours, Rabbit Erythema/eschar score: No erythema (0). Edema score: No oedema (0). REACH dossier information.
Serious eye damage/irritati	on
Serious eye damage/irritation	Dose: 0.1ml, 72 hours, Rabbit REACH dossier information.
Skin sensitization	
Skin sensitization	Buehler test - Guinea pig: Not sensitizing. REACH dossier information.
Germ cell mutagenicity	
Genotoxicity - in vitro	Gene mutation: Negative. REACH dossier information.
Genotoxicity - in vivo	Chromosome aberration: Negative. REACH dossier information.
Reproductive toxicity	
Reproductive toxicity - fertility	Screening - NOAEL > 1000 mg/kg/day, Oral, Rat P REACH dossier information.
Reproductive toxicity - development	Developmental toxicity: - LOAEL: 125 mg/kg/day, Dermal, Rat REACH dossier information.
12. Ecological Information	

Ecotoxicity

Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.

Toxicity

Based on available data the classification criteria are not met.

Ecological information on ingredients.

Hydrogenated base oil

Acute aquatic toxicity	
Acute toxicity - fish	LL_{50} , 96 hours: > 100 mg/l, Pimephales promelas (Fat-head Minnow)
Acute toxicity - aquatic invertebrates	EL₅₀, 48 hours: > 10000 mg/l, Daphnia magna
Acute toxicity - aquatic plants	NOEL, 72 hours: > 100 mg/l, Pseudokirchneriella subcapitata

Persistence and degradability

Persistence and degradability The degradability of the product is not known.

Ecological information on ingredients.

Hydrogenated base oil

Biodegradation	Water - Degradation 31: 28 days Inherently biodegradable.
Bioaccumulative potential	
Bio-Accumulative Potential	No data available on bioaccumulation.
Partition coefficient	Not available.
Mobility in soil	
Mobility	No data available.
Other adverse effects	
Other adverse effects	None known.
13. Disposal considerations	
Waste treatment methods	
General information	The generation of waste should be minimized or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements.
Disposal methods	Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste packaging should be collected for reuse or recycling. Incineration or landfill should only be considered when recycling is not feasible. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of the local water authority.
14. Transport information	
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DOT, TDG).
UN Number	
Not applicable.	
UN proper shipping name	
Not applicable.	
Transport hazard class(es)	
Transport labels	
No transport warning sign req	uirea.
Packing group	
Not applicable.	
Environmental hazards	
Environmentally Hazardous S No.	udstance

Special precautions for user

Not applicable. DOT TIH Zone Not applicable. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable. 15. Regulatory information Verticable. Regulatory References OSHA Hazard Communication Standard 29 CFR §1910.1200 Hazardous Products Regulators (SOR/2015-17) Transportation of Dangerous Goods Regulations -SOR/2015-100.
Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code 15. Regulatory information OSHA Hazard Communication Standard 29 CFR §1910.1200 Hazardous Products Regulatory References
Annex II of MARPOL 73/78 and the IBC Code 15. Regulatory information Regulatory References OSHA Hazard Communication Standard 29 CFR §1910.1200 Hazardous Products Regul
Regulatory References OSHA Hazard Communication Standard 29 CFR §1910.1200 Hazardous Products Regulatory
US Federal Regulations SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities None of the ingredients are listed or exempt.
CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA) None of the ingredients are listed or exempt.
SARA Extremely Hazardous Substances EPCRA Reportable Quantities None of the ingredients are listed or exempt.
SARA 313 Emission Reporting The following ingredients are listed or exempt:
Zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) bis(phosphorodithioate) 1.0 %
Zinc alkyldithiophosphate 1.0 %
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts 1.0 %
CAA Accidental Release Prevention None of the ingredients are listed or exempt.
SARA (311/312) Hazard Categories None of the ingredients are listed or exempt.
OSHA Highly Hazardous Chemicals None of the ingredients are listed or exempt.
US State Regulations
California Proposition 65 Carcinogens and Reproductive Toxins None of the ingredients are listed or exempt.
California Air Toxics "Hot Spots" (A-I) None of the ingredients are listed or exempt.
California Air Toxics "Hot Spots" (A-II) None of the ingredients are listed or exempt.
California Directors List of Hazardous Substances None of the ingredients are listed or exempt.

Massachusetts "Right To Know" List

None of the ingredients are listed or exempt.

Rhode Island "Right To Know" List

None of the ingredients are listed or exempt.

Minnesota "Right To Know" List

None of the ingredients are listed or exempt.

New Jersey "Right To Know" List

None of the ingredients are listed or exempt.

Pennsylvania "Right To Know" List

None of the ingredients are listed or exempt.

Inventories

Canada - DSL/NDSL All the ingredients are listed or exempt.

US - TSCA All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

None of the ingredients are listed or exempt.

16. Other information

Abbreviations and acronyms used in the safety data sheet	C.A.S. = Chemical Abstracts Service; E.C. No = European Commission number; GHS = Globally Harmonised System; OSHA = Occupational Safety and Health Administration; WHMIS = Workplace Hazardous Materials Information System; DOT = Department of Transport; TDG = Transport of Dangerous Goods Regulations; IMDG = International Maritime Dangerous Goods; IATA = International Air Transport Association; SARA = Superfund Amendments and Reauthorization Act; CERCLA = Comprehensive Environmental; EPCRA = Emergency Planning and Community Right-to-Know Act; TSCA = Toxic Substances Control Act; LD/LC/EC = Lethal Dose,Lethal Concentration/Effect Concentration for 50% of population; NOEC = No Overall Effect Concentration; NOEL = No Overall Effect Level; REACH = Registration, Evaluation, Authorisation & Restriction of Chemicals; STOT-RE = Single Target Organ Toxicity - Repeat Exposure; STOT-SE= Specific Target Organ Toxicity - Single Exposure; PBT = Persistent, Bioaccumulative, Toxic; vPvB = Very Persistent, Very Bioaccumulative.
Key literature references and sources for data	Source: European Chemicals Agency, http://echa.europa.eu/
Training advice	Read and follow manufacturer's recommendations. Only trained personnel should use this material.
Revision comments	This is the first issue.
Revision date	2/2/2018
SDS No.	6943
Hazard statements in full	H304 May be fatal if swallowed and enters airways.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.